

ArmourColor product data

	Perlata	Tactite
Product description	A water-based decorative wall coating formulated with effect pigments. Creates an elegant finish with a subtle surface shimmer.	A water-based decorative wall coating creating a tough, durable and hygienic finish. Features a 'soft touch' feel with a suede finish.
Colour palette	96 colours	36 colours
Test Data		
SCRUB RESISTANCE (ASTM D2486) (*with clearseal gloss) ISO 2812	1,075 cycles (1,925)	1,150 cycles
STAIN RESISTANCE (ASTM D1308) (*with clearseal gloss)	Coffee 4, red wine 1 (2), vinegar 5, tomato sauce 5, mustard 2 (4), strawberry preserve 5 (1 = poor 5 = excellent)	Coffee 4, red wine 4, vinegar 5, tomato sauce 5, mustard 3, strawberry preserve 5 (1 = poor 5 = excellent)
ANTI-MICROBIAL PRESERVATION Mould resistance (ASTM D3273) Mildew resistance (ASTM D3274)	10/10/10 10/10/10 (1 = poor 10 = no growth)	10/10/10 10/10/10 (1 = poor 10 = no growth)
ANTI-FUNGAL ACTIVITY Anti-algal activity Anti-bacterial (JIS Z2801)	No visible growth No visible growth E.Coli, MRSA, Salmonella No bacteria survived	No visible growth No visible growth E.Coli, MRSA, Salmonella No bacteria survived
FIRE TEST ASTM E84 BS476 6&7	Class A Class 0	Class A
VOC content ASTM D3960 (USA EPA <250g/litre) BS ISO EN 11890-2	209 g/l EU limit for this product (cat A/I): 300 g/l (2007) / 200 g/l (2010). This product contains max 100 g/l VOC.	67 g/l EU limit for this product (cat A/I): 300 g/l (2007) / 200 g/l (2010). This product contains max 10 g/l VOC.
Coverage rates	5-7m ² /litre (two coat application)	8-10m ² /litre (two coat application)
Manufacturer	Manufactured in the UK by Armourcoat Ltd	
Health and Safety	Non-toxic. Refer to material safety data sheet for further information.	
Suitable substrates	Can be applied to our recommended substrates which should be clean, dry, firm, true, will not crack and are correctly prepared. The best substrates to work on are taped and jointed plasterboard and freshly plastered walls that are fully dry. ArmourColor products can be applied to existing painted surfaces provided that the paint is well adhered to the wall.	
Storage	Store in good dry conditions between 5-25°C. Protect from frost, sunlight and sources of direct heat. Keep container sealed when not in use. Shelf life in an unopened container under correct storage conditions is 12 months from date of manufacture.	



Perlata

Exquisite and luxurious, Perlata is an elegant finish with a subtle sparkle or shimmer, creating visual texture and directional effect. With a low sheen, the intriguing surface is full of movement and tonal interest. The finish is dependent on the hand of the applicator, creating a unique and visually striking wall coating at close quarters, yet subtle when viewed from a distance.

- A cost effective alternative to wall paper and vinyl wall coverings
- Provides a seamless, durable, cleanable, hardwearing and low maintenance wall finish
- Available in a wide range of 96 colours using a silver or gold base
- Easy to repair or to match existing colour
- Applicator able to achieve many highly decorative effects
- Formulated to prevent mould, mildew and bacterial growth (including MRSA and E.Coli)
- Class '0' fire rated
- Excellent stain and scrub resistance (enhanced with Clearseal Gloss)
- Low VOCs and low odour
- Coverage rate: 5-7m² (two coat application)



PERLATA



ArmourColor is a new range of decorative wall coatings from Armourcoat. For further information please visit our website.

Armourcoat Limited, Morewood Close, Sevenoaks, Kent TN13 2HU, United Kingdom
Telephone: +44 (0)1732 460668 Fax: +44 (0)1732 450930 Email: sales@armourcolor.co.uk

www.armourcolor.com

